

THE GLASS RACKING COMPANY

Innovation by Design

4.5M DELIVERY



This open body glass carrier has been designed for customers who want a medium sized glass carrier with the ease of access via an open body. Overall body length is 4.5M with the drivers side extendable in height from 2.5M to 3M for cartage of extra large items.

GET FULL PRODUCT CATALOGUES ONLINE AT
WWW.THEGLASSRACKINGCOMPANY.COM

FEATURES

The 4.5M Delivery body can be fitted to many models of cab and chassis up to over 6000kg GVM. The truck can be driven on a standard car license up to a total weight of 4490kg.



The external passenger side rack is fully extendable in height allowing for transportation of glass or windows up to 4500mm long and 3000mm high.




Sprung poles with polymer blocks and scissor clamps are used for glass retention on both external racks. Strap poles with polymer blocks are used on both internal racks.

The rear has a large 300mm deep access step and safety bumper with lights providing easy access to the internal racks and load.





The internal racks have 7 secure strap poles with non-marking polymer blocks. The floor of the internal racks is a 29mm hardwood ply with inlaid aluminium slotted base for bottom pole retention.

A removable cover over the rear wheels provides 4 bolt access to the rear wheels for puncture repair and servicing. The window in the front of the body provides the driver with a rear view down the length of the internal racks.



4.5M DELIVERY UPGRADES

- The Glass Racking Company window transportation system can be applied to this vehicle for the quick and secure loading, transportation, and unloading of window frames. Key components are a rubber foam covered strap pole and reveal foam for the frames which use compression to securely retain the window frames.
- Height extension is standard on the passenger side, and optional on drivers side. Height extension is five increments to a maximum of 500mm extension.
- Towbar allowance can be built as protruding with a fold down step.
- A backing camera can also be fitted with the lens mounted in the rear chequer plate.
- Quality signage and branding is available at the time of manufacture.



4.5M DELIVERY BENEFITS

Strength and Weight carrying is maximised by T6 aluminium extrusions for main rack construction, supported by galvanised steel structure and top and bottom rack brackets.

Significant volume carrying by maximising external ledge width and rack dimensions, plus providing for volume storage on the internal racks

Quick loading and unloading using non-marking polymer load retention blocks and scissor clamps.

Safety for users and other road users.

Ease of repair and maintenance due to the glass racks having high tensile mono-bolted construction. Damaged or worn parts are easily removed, replaced or upgraded.

Longevity is provided through low maintenance materials.

Proven track record in New Zealand and Australia.



4.5M DELIVERY Truck

Contact us today to discuss your glass and window transportation needs.

HOW TO PURCHASE

Contact your local representative in Christchurch, Melbourne, Brisbane or Perth.

4.5M Delivery 4 pager
July 2011

METALCRAFT
Innovation by Design

The Glass Racking Company

Christchurch 03-3603373, Melbourne 0427226653, Brisbane:- 0419714005, Perth:- 0449911946

Email: info@theglassrackingcompany.com www.theglassrackingcompany.com

